



Installation Manual

DA-Anchor

Eyecatcher BV

Teddingtonweg 28 G, 2421 LL Nieuwkoop, The Netherlands

T : 0031 (0) 172 – 575 570

F : 0031 (0) 172 – 573 394

I : www.eyecatchersafety.com



NL : De aanwijzingen in de montagehandleiding en de veiligheidsvoorschriften moeten strikt worden nageleefd.

EN : The information contained in the assembly and safety instructions must be strictly observed.

DE : Die Anweisungen der Montageanleitung und Sicherheitshinweise sind strikt einzuhalten.

IT : È assolutamente necessario attenersi alle istruzioni di montaggio e alle norme di sicurezza.

FR : Les instructions de la notice de montage et les consignes de sécurité doivent être formellement respectées.


NO : Det er svært viktig at instruksjonene i monteringshandboken og sikkerhetsheftet følges.

FI : Asennusohjeen ja turvaohjevikhosen ohjeita on ehdottomasti noudatettava.



EN-795
F=13 kN

ANSI Z359
F=22.2 kN



EN-795
F=13 kN

ANSI Z359
F=22.2 kN




1





BETON
CONCRETE

Ø 24 mm







2



FM ATS-EVO S Concrete Anchor
M16 x 140 mm
Galvanised steel grade 8.8
Tensile strength 23,7 kN







DA-Anchor

Eyecatcher BV

Teddingtonweg 28 G, 2421 LL Nieuwkoop, The Netherlands

T : 0031 (0) 172 – 575 570

F : 0031 (0) 172 – 573 394

I : www.eyecatchersafety.com