

| | |
|-------------|-------------------------|
| Univers | Professional |
| Type | Verticality |
| Category | Pulleys |
| Subcategory | High-efficiency pulleys |



RESCUE M

The RESCUE M pulley is designed for rescue and work-at-height professionals. High-strength and very high efficiency, it is built for intensive use and handling heavy loads.

Short Description High-strength, very high efficiency pulley

Selling Points

- Designed to handle heavy loads and for intensive use:
- Large-diameter sheave mounted on sealed ball bearings provides very high efficiency
- Large attachment holes fit up to three carabiners for ease of use
- Specific side plate design protects the rope path
- Moving side plates make it quick and easy to install
- Available in two colors: Yellow or black

Specification

- Rope compatibility: 6 to 13 mm
- Sheave diameter: 38mm
- Ball bearings: Yes
- Efficiency: 95%
- Maximum working load: 8kN
- Breaking strength: 36kN
- Weight: 140g
- Certification(s): CE EN 12278, UIAA, NFPA General Use, XF 494 General
- Material(s): Aluminum, stainless steel

Specifications by reference

| | | |
|------------------|---------------|---------------|
| Reference(s) | P050BA00 | P050BA01 |
| Color(s) | Yellow | Black |
| Made in | FR | FR |
| Guarantee | 3 years | 3 years |
| Inner Pack Count | 1 | 1 |
| Quantity Per Box | 32 | 32 |
| EAN | 3342540853850 | 3342540853867 |

Related product(s)

- OK
- I'D® S
- BEAM 11 mm
- CORDEX